



MT N1

630 — 1600A




MT N2, H1, H1b, H2, H3, L1

800 — 4000A



MT H1, H2

4000 — 6300A



Current	630A-6300A
Number of pole	3P 4P
Breaking Capacity	N1,N2,H1,H1B,H2,H3,L1
Type	Fixed Drawer
Model	MT/NW/MVS



现场 M 断路器类型	MT			NW		
	N1	H1	H2	N1	H1	H2
M08 3P/4P	☒	☒	☒	☒	☒	☒
M10 3P/4P	☒	☒	☒	☒	☒	☒
M12 3P/4P	☒	☒	☒	☒	☒	☒
M16 3P/4P	☒	☒	☒	☒	☒	☒
M20 3P/4P	☒	☒	☒		☒	☒
M25 3P/4P	☒	☒	☒		☒	☒
M32 3P/4P		☒	☒			☒

Basic Info.

Model NO.	MT12N1	Speed	High-Speed Circuit Breaker
Arc-extinguishing Medium	Air	Installation	Fixed
Structure	ACB	Poles Number	3or4
Type	Circuit Breaker	Function	Conventional Circuit Breaker, Circuit-Breaker Failure Protection, Overcurrent Protection, OVP(Overvoltage Protection)
Certification	ISO9001-2000, CE, CCC	Selling Units	Single Item
Single Gross Weight	25.000kg	Single Package Size	27X32X40.Cm
Material	High Standard Plastic Silver Copper	Rated Voltage	AC400V
Rated Frequency (Hz)	50/60	Productname	Acb Air Circuit Breaker
Protection	IP30	Pole	3p/4p
Style	Fixed Type	Certificate	IEC CE CCC
Transport Package	Wooden Box	Specification	customized
Trademark	MINGTUO	Origin	Zhejiang, China
HS Code	8536200000	Production Capacity	300

Packaging & Delivery

Package Size	27.00cm * 32.00cm * 40.00cm
Package Gross Weight	26.000kg

Product Description